

SPINNING SOLUTION

R.G. AUTOMAZIONE



AMP autoleveler



Il sistema di autoregolazione AMP rileva l'altezza del materassino in entrata attraverso 2 sensori posti sul cilindro di alimentazione della carda e lo compara con il valore di riferimento impostato, determinando quindi lo stiro necessario a compensare le variazioni del materassino per avere in uscita un nastro di peso costante. Abbinando il pacchetto di correzione in continuo del Silo si ottimizzano le prestazioni dell'autoregolatore. Questo sistema è indicato per correggere le variazioni a medio e corto periodo.



The system of auto-levelling AMP detect the evenness of the incoming material through 2 sensors places on the feeding cylinder of the card, and it compares it with the value previously stored in the computer, determining therefore, the necessary draft to compensate the variations of the incoming material in order to obtain a sliver with a constant weight. The system is suitable to correct the variations to middle and short period.

AMP Autoleveler può essere utilizzato come ricambio per i vecchi sistemi Loepfe.

You can use the AMP Autoleveler as spare part for the old systems Loepfe.



R.G. AUTOMAZIONE
di Ricci Giovanni

24050 Mornico al Serio (BG) - ITALY
Via S. Valeria 15
Telefono e Fax +39 035.4428146
Cell. 349 5368189

E-mail: riccig@rgautomazione.com
www.rgautomazione.com